

UNITED STATES OF AMERICA  
DEPARTMENT OF TRANSPORTATION  
FEDERAL AVIATION ADMINISTRATION

# Air Agency Certificate

*Number* DN3R455L

*This certificate is issued to*

**Plasma Technology Incorporated**

*whose business address is*

**1754 Crenshaw Boulevard  
Torrance, CA 90501**

*upon finding that its organization complies in all respects  
with the requirements of the Federal Aviation Regulations  
relating to the establishment of an Air Agency, and is  
empowered to operate an approved* **Repair Station**

*with the following ratings:*

**LIMITED AIRFRAME (05/01/90)  
LIMITED POWERPLANT (04/16/93)  
LIMITED NON-DESTRUCTIVE TESTING (11/25/98)  
LIMITED SPECIALIZED SERVICES (02/16/00)**

*This certificate, unless canceled, suspended,\* or revoked,  
shall continue in effect* **Indefinitely**

*Date issued:*

**February 16, 1970**

**Reissued: February 16, 2000**

*By direction of the Administrator*

*Linda E. Silvertooth*

**Linda E. Silvertooth**

**Manager, Long Beach FSDO**

**This Certificate is not Transferable, AND ANY MAJOR CHANGE IN THE BASIC FACILITIES, OR IN THE LOCATION THEREOF,  
SHALL BE IMMEDIATELY REPORTED TO THE APPROPRIATE REGIONAL OFFICE OF THE FEDERAL AVIATION ADMINISTRATION**

*Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both*

Table of Contents

Part A

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
001 Issuance and Applicability	02/11/2016	12/29/2016	5
002 Definitions and Abbreviations	12/14/2017	07/19/2018	5
003 Ratings and Limitations	04/03/2017	08/28/2019	8
004 Summary of Special Authorizations and Limitations	09/23/1998	03/08/2005	2
007 Designated Persons	12/19/2006	02/16/2010	4
449 Antidrug and Alcohol Misuse Prevention Program	07/17/2009	06/03/2010	2

**A001 . Issuance and Applicability**

**HQ Control: 02/11/2016**

**HQ Revision: 05e**

a. These operations specifications are issued to Plasma Technology, Inc., a Repair Station located in the United States, pursuant to 14 CFR Part 145, § 145.53. The repair station certificate holder shall conduct operations in accordance with 14 CFR Part 145 and these operations specifications.

The certificate holder's address:

Fixed Location:  
1754 Crenshaw Boulevard  
Torrance, California 90501

Mailing Address:  
1754 Crenshaw Boulevard  
Torrance, California 90501

b. The holder of these operations specifications is the holder of certificate number DN3R455L and shall hereafter be referred to as the "certificate holder".

c. These operations specifications are issued as part of this repair station certificate and are in effect as of the date approval is effective. This certificate and these operations specifications shall remain in effect until the certificate for a repair station that is located in the United States is surrendered, suspended, or revoked.

d. The repair station specified on these operations specifications and located within the United States performs maintenance and/or an alteration of aircraft and/or aeronautical products to be installed on aircraft under the terms and conditions of the U.S./EU Safety Agreement, Annex 2, Maintenance, between the FAA and the EU.

e. The certificate holder is authorized to use only the business name which appears on the certificate to conduct the operations described in subparagraph a.

Delegated authorities: None

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Louis McGraw, Principal Maintenance Inspector (WP05)  
[1] SUPPORT INFO: Template change  
[2] EFFECTIVE DATE: 12/29/2016, [3] AMENDMENT #: 5  
DATE: 2016.12.29 10:21:03 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

A handwritten signature in black ink, appearing to read "Domingo Hernandez", written over a horizontal line.

Hernandez, Domingo, , Quality Control Manager

1/3/17

Date

**A002 . Definitions and Abbreviations**

**HQ Control: 12/14/2017**

**HQ Revision: 05d**

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in 14 CFR and 49 U.S.C., as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

<b>BASA</b>	The Bilateral Aviation Safety Agreement (BASA) is an executive agreement concluded between the United States and a foreign country for the purpose of promoting aviation safety; also known as an Agreement for the Promotion of Aviation Safety.
<b>Certificate Holder</b>	In these operations specifications, the term "certificate holder" means the holder of the repair station certificate described in these operations specifications in Part A paragraph A001 and any of its officers, employees, or agents used in the conduct of operations under this certificate.
<b>CAAS</b>	Civil Aviation Authority of Singapore
<b>CFR</b>	Code of Federal Regulations
<b>Class Rating</b>	As used with respect to the certification, ratings, privileges of airframes, powerplants, propellers, radios, instruments, and accessories within a category having similar operating characteristics.
<b>EASA</b>	European Aviation Safety Agency
<b>EASA Accountable Manager</b>	The manager who has corporate authority for ensuring that all maintenance required by the customer can be financed and carried out to the standard required by the EASA full-member Authority.
<b>EU</b>	European Union
<b>Exemption</b>	An authorization that permits an alternate means of compliance with a specific CFR. The exemption must meet the procedural requirements of 14 CFR Part 11.
<b>FOCA</b>	Federal Office of Civil Aviation
<b>FAA Accountable Manager</b>	A person designated by the certificated repair station who is responsible for and has authority over all repair station operations that are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the primary contact with the FAA.

<b>Geographic Authorization</b>	Authorization provided to a repair station located outside the United States to perform maintenance support under contract for a U.S. air carrier (or an operator of U.S.- registered aircraft under 14 CFR Part 129) at a location other than the repair station's main facility. A geographic authorization is issued by the FAA to respond to a U.S. air carrier's or Part 129 foreign operator's need for maintenance at a station where the frequency and scope of that maintenance does not warrant permanently staffing and equipping the station for its accomplishment.
<b>Limited Rating</b>	A rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios, instruments, accessories, and/or parts.
<b>Limited Ratings - Specialized Services</b>	Rating issued for a special maintenance function when the function is performed in accordance with a specification approved by the Administrator.
<b>Line Maintenance</b>	Any unscheduled maintenance resulting from unforeseen events, or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities.
<b>MAG</b>	The Maintenance Annex Guidance (MAG) defines the process that the FAA and EASA undertake in the inspection, findings of compliance certification, and monitoring of repair stations, as well as their joint cooperation in quality assurance and standardization activities in support of the EASA Agreement, Annex 2, Maintenance. The term Maintenance Agreement Guidance (MAG) defines the processes and activities applicable to a specific country under an MIP, and is not associated with the EASA Agreement.
<b>Maintenance</b>	The inspection, overhaul, repair, preservation, and replacement of parts, but excludes preventive maintenance.
<b>U.S./EU Aviation Safety Agreement, Annex 2, Maintenance</b>	Annex 2 covers the reciprocal acceptance of findings of compliance, approvals, documentation and technical assistance regarding approvals and the monitoring of repair stations/maintenance organizations.
<b>MIP</b>	Maintenance Implementation Procedures (MIP) are procedures for implementing the provisions of a BASA that apply to maintenance performed under 14 CFR Part 145, Section 145.53(b).
<b>MOE</b>	A maintenance organization exposition (MOE) pertains to procedural manuals used by maintenance organizations certificated by a foreign country. The MOE along with the FAA Supplement, sets forth the structure and procedures of the repair station to meet the requirements of 14 CFR Part 145 under a MIP.

**Preventive  
Maintenance**

As defined in 14 CFR part 1 and part 43 appendix A,  
subparagraph (c).

**QCM**

Quality Control Manual

**Repair Station located  
in the United States**

A FAA certificated repair station located in the United States.

**Repair Station located  
outside the United  
States**

A FAA certificated repair station located outside of the United States.

**RSM**


Repair Station Manual

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Louis McGraw, Principal Maintenance Inspector (WP05)  
[1] EFFECTIVE DATE: 7/19/2018, [2] AMENDMENT #: 5  
DATE: 2018.07.19 10:11:14 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

  
\_\_\_\_\_

Hernandez, Domingo, , Quality Control Manager

5/15/19

Date

**A003 . Ratings and Limitations**

**HQ Control: 04/03/2017**

**HQ Revision: 01a**

The certificate holder is authorized the following Ratings and/or Limitations:

**Class Ratings**

None Authorized.

**Limited Ratings**

<b><u>Rating</u></b>	<b><u>Manufacturer</u></b>	<b><u>Make/Model</u></b>	<b><u>Limitations</u></b>
Airframe	Boeing Aircraft Company	Boeing B-727 Nose Gear Collars, P/N 65-19823 and P/N 65-88195	Repair and overhaul processes in accordance with manufacturer's maintenance manual and/or air carrier's instructions and specifications, as revised.
PowerPlant	Pratt & Whitney	Pratt and Whitney JT8D Gear Assembly Typical P/N 491337- Series	Repair and overhaul processes in accordance with manufacturer's maintenance manual and/or air carrier's instructions and specifications, as revised.
Nondestructive Inspection, Testing, and Processing	N/A	N/A	Penetrant Inspection in accordance with the provisions of NAS 410, MIL-STD-6866 and ASTM-E1417, and the component manufacturer's instructions and specifications, as revised.

**Limited Ratings - Specialized Services**

<b><u>Rating</u></b>	<b><u>Specifications</u></b>	<b><u>Limitations</u></b>
Thermal Spray Coatings Application	In accordance with MIL-STD-869, PWA 53, PWA 75, BAC 5056, BAC 5851, DPS 9.95, DPS 9.99, DPS 9.85, DPS 9.83, MIL-W-6712, GPS 3227-2, GPS-3228-1, FP 5045, BPS 4463, PN 13.05-05 and PN 13.05-07, P16TF5, AMS 2437, AMS 2447, AMS 4180, SS 8491, RPS 11.57 and ESS 063 as revised.	Repair limitations as contained in the referenced Civil or Military Specification.
Painting	MIL-F-18264	Repair limitations as contained in the referenced Civil or Military Specifications and using the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness,



<u>Rating</u>	<u>Specifications</u>	<u>Limitations</u>
Machining	MIL-M-80255, and MIL-M-80264	as revised. Repair limitations as contained in the referenced Civil or Military Specifications and using the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, as revised.
Grinding	MIL-G-80048, MIL-G-80073, MIL-G-80088, AMS 2449, A-A-59477 and A-A-59330	Repair limitations as contained in the referenced Civil or Military Specifications and using the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, as revised.
Welding	MIL-W-8611, and DAC OHM 71-30-02	Repair limitations as contained in the referenced Civil or Military Specifications and using the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, as revised.

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Benjamin Harris, Principal Maintenance Inspector (WP05)  
[1] SUPPORT INFO: Added Thermal Spray Per ES063  
[2] EFFECTIVE DATE: 8/28/2019, [3] AMENDMENT #: 8  
DATE: 2019.08.28 16:26:37 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

A handwritten signature in black ink, appearing to read "Domingo Hernandez", written over a horizontal line.

Hernandez, Domingo, Quality Control Manager

8/29/19

Date

**A004. Summary of Special Authorizations and Limitations**

**HQ Control:** 9/23/1998 ✓  
**HQ Revision:** 010

**a. The certificate holder, in accordance with the reference paragraphs, is authorized to:**

	<u>Reference Paragraphs</u>
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449

**b. The certificate holder is *not authorized and shall not*:**

Use Exemptions.	A005
-----------------	------

Use an approved electronic recordkeeping system, electronic/digital signature, and/or electronic media.	A025
---	------

Perform maintenance with NAA ratings where the scope of work is authorized by a BASA/MIP.	A060
---	------

Perform work, including continuous operations, at additional locations other than at its primary fixed location.	A101
--	------

Perform maintenance in accordance with foreign repair station geographic authorizations.	B050
--	------

Perform work, excluding continuous operations, at additional locations other than at its primary Fixed Location.	D100
--	------

Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating U.S. registered aircraft in common carriage under Part 129, apart from D100 which authorizes that work away from station.	D107
---	------


- 
1. Issued by the Federal Aviation Administration.
  2. These Operations Specifications are approved by direction of the Administrator.

  
Ayemin, Mark

Principal Maintenance Inspector

WP05

3. Date Approval is effective: 3/8/05 Amendment Number: 2 ✓
4. I hereby accept and receive the Operations Specifications in this paragraph.

  
Hernandez, Domingo,

Quality Control Manager

Date: 3/8/05 ✓

**A007 . Designated Persons**

**HQ Control: 12/19/2006**

**HQ Revision: 030**

a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

**Table 1 – Designated Persons to Apply for and Receive Authorizations**

Title	Name	Parts Authorized
Quality Control Manager	Hernandez, Domingo,	A
President	Dowell, Robert D.,	A

b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (INFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

**Table 2 – Designated to Receive INFO Messages**

Name	Email Address	Telephone No.	Type of Information to Receive
Hernandez, Domingo	dhernandez@ptise.com	310-320-3373	ALL

1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2010.02.16 10:40:51 Central Standard Time  
Location: WebOPSS  
Digitally signed by Gerald A Boots,  
Principal Maintenance Inspector (WP05)

4. Date Approval is effective: 02/16/2010 Amendment Number: 4

5. I hereby accept and receive the Operations Specifications in this paragraph.

Hernandez, Domingo, , Quality Control Manager

A handwritten signature in black ink, appearing to read "Domingo Hernandez", written over a horizontal line.

Date: 02/16/2010

**A449 . Antidrug and Alcohol Misuse Prevention Program**

**HQ Control: 07/17/2009**

**HQ Revision: 00a**

- a. The Part 145 repair station certificate holder has elected to implement an Antidrug and Alcohol Misuse Prevention Program, because the certificate holder performs safety-sensitive functions for a 14 CFR Part 121, and 135 certificate holder and/or for a 14 CFR Part 91 operator conducting operations under Section 91.147.
- b. The certificate holder certifies that it will comply with the requirements of 14 CFR Part 120 and 49 CFR Part 40 for its Antidrug and Alcohol Misuse Prevention Program.
- c. Antidrug and Alcohol Misuse Prevention Program records are maintained and available for inspection by the FAA's Drug Abatement Compliance and Enforcement Inspectors at the location listed in Table 1 below:

**Table 1**

<b>Location &amp; Telephone of Antidrug and Alcohol Misuse Prevention Program Records:</b>	
<b>Telephone Number:</b>	A1 (310) 320-3373
<b>Address:</b>	1754 Crenshaw Boulevard
<b>Address:</b>	N/A
<b>City:</b>	Torrance
<b>State:</b>	CA
<b>Zip code:</b>	90501

d. Limitations and Provisions.

- (1) Antidrug and Alcohol Misuse Prevention Program inspections and enforcement activity will be conducted by the Drug Abatement Division. Questions regarding these programs should be directed to the Drug Abatement Division.
- (2) The certificate holder is responsible for updating this operations specification when any of the following changes occur:
  - (a) Location or phone number where the Antidrug and Alcohol Misuse Prevention Program Records are kept.
  - (b) If the certificate holder's number of safety-sensitive employees goes to 50 and above, or falls below 50 safety-sensitive employees.
- (3) The certificate holder with 50 or more employees performing a safety-sensitive function on January 1 of the calendar year must submit an annual report to the Drug Abatement Division of the FAA.
- (4) The certificate holder with fewer than 50 employees performing a safety-sensitive function on January 1 of any calendar year must submit an annual report upon request of the Administrator, as specified in the regulations.

1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2010.06.03 10:22:11 Central Daylight Time  
Location: WebOPSS  
Digitally signed by Mark Ayemin.  
Principal Maintenance Inspector (WP05)

4. Date Approval is effective: 06/03/2010                      Amendment Number: 2 ✓
5. I hereby accept and receive the Operations Specifications in this paragraph.

Hernandez, Domingo, , Quality Control Manager

A handwritten signature in black ink, appearing to read "Domingo Hernandez", written over a horizontal line.

Date: 06/03/2010 .